


半通位置
Figure 10:

 A02FB033, 400F1
 A02FB033, 400F1

開通位置

 A02FB033, 400F1
 A02FB033, 400F1

氣動開閉

 A02FB033, 400F1
 A02FB033, 400F1

電氣開閉

 A02FB033, 400F1
 A02FB033, 400F1

主要外形尺寸
PN0.5MPa, 1.0MPa CLASS 200

尺寸		L		H		H1		H2		H3		H4		H5		H6		H7		H8			
DN	MPa	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm	英寸	mm		
50	2	2.00	50.8	2.00	50.8	4.0	101.6	2.0	50.8	2.0	50.8	2.0	50.8	2.0	50.8	2.0	50.8	2.0	50.8	2.0	50.8	2.0	50.8
65	2.50	2.62	66.1	2.62	66.1	4.5	114.3	2.5	63.5	2.5	63.5	2.5	63.5	2.5	63.5	2.5	63.5	2.5	63.5	2.5	63.5	2.5	63.5
80	3	3.15	80.0	3.15	80.0	5.0	127.0	3.0	76.2	3.0	76.2	3.0	76.2	3.0	76.2	3.0	76.2	3.0	76.2	3.0	76.2	3.0	76.2
100	4	3.75	95.0	3.75	95.0	5.5	139.7	3.5	88.9	3.5	88.9	3.5	88.9	3.5	88.9	3.5	88.9	3.5	88.9	3.5	88.9	3.5	88.9
125	5	4.75	120.0	4.75	120.0	6.0	152.4	4.0	101.6	4.0	101.6	4.0	101.6	4.0	101.6	4.0	101.6	4.0	101.6	4.0	101.6	4.0	101.6
150	6	5.75	146.0	5.75	146.0	6.5	165.1	4.5	114.3	4.5	114.3	4.5	114.3	4.5	114.3	4.5	114.3	4.5	114.3	4.5	114.3	4.5	114.3
200	8	7.50	190.0	7.50	190.0	7.5	190.5	5.5	139.7	5.5	139.7	5.5	139.7	5.5	139.7	5.5	139.7	5.5	139.7	5.5	139.7	5.5	139.7
250	10	9.50	241.0	9.50	241.0	8.0	203.2	6.0	152.4	6.0	152.4	6.0	152.4	6.0	152.4	6.0	152.4	6.0	152.4	6.0	152.4	6.0	152.4
300	12	11.75	298.0	11.75	298.0	8.5	215.9	6.5	165.1	6.5	165.1	6.5	165.1	6.5	165.1	6.5	165.1	6.5	165.1	6.5	165.1	6.5	165.1
350	15	13.75	348.0	13.75	348.0	9.0	228.6	7.0	177.8	7.0	177.8	7.0	177.8	7.0	177.8	7.0	177.8	7.0	177.8	7.0	177.8	7.0	177.8
400	18	15.75	400.0	15.75	400.0	9.5	241.3	7.5	190.5	7.5	190.5	7.5	190.5	7.5	190.5	7.5	190.5	7.5	190.5	7.5	190.5	7.5	190.5
450	20	17.75	450.0	17.75	450.0	10.0	254.0	8.0	203.2	8.0	203.2	8.0	203.2	8.0	203.2	8.0	203.2	8.0	203.2	8.0	203.2	8.0	203.2
500	22	19.75	500.0	19.75	500.0	10.5	266.7	8.5	215.9	8.5	215.9	8.5	215.9	8.5	215.9	8.5	215.9	8.5	215.9	8.5	215.9	8.5	215.9
600	26	24.00	609.6	24.00	609.6	11.0	279.1	9.0	228.6	9.0	228.6	9.0	228.6	9.0	228.6	9.0	228.6	9.0	228.6	9.0	228.6	9.0	228.6
700	30	27.50	700.0	27.50	700.0	11.5	291.6	9.5	241.3	9.5	241.3	9.5	241.3	9.5	241.3	9.5	241.3	9.5	241.3	9.5	241.3	9.5	241.3
800	35	31.50	800.0	31.50	800.0	12.0	304.8	10.0	254.0	10.0	254.0	10.0	254.0	10.0	254.0	10.0	254.0	10.0	254.0	10.0	254.0	10.0	254.0
900	40	35.50	900.0	35.50	900.0	12.5	317.5	10.5	266.7	10.5	266.7	10.5	266.7	10.5	266.7	10.5	266.7	10.5	266.7	10.5	266.7	10.5	266.7
1000	45	39.50	1000.0	39.50	1000.0	13.0	330.2	11.0	279.1	11.0	279.1	11.0	279.1	11.0	279.1	11.0	279.1	11.0	279.1	11.0	279.1	11.0	279.1
1200	54	47.00	1190.0	47.00	1190.0	14.0	354.0	12.0	304.8	12.0	304.8	12.0	304.8	12.0	304.8	12.0	304.8	12.0	304.8	12.0	304.8	12.0	304.8
1400	64	55.00	1395.0	55.00	1395.0	15.0	381.0	13.0	330.2	13.0	330.2	13.0	330.2	13.0	330.2	13.0	330.2	13.0	330.2	13.0	330.2	13.0	330.2
1600	74	63.00	1600.0	63.00	1600.0	16.0	406.4	14.0	354.0	14.0	354.0	14.0	354.0	14.0	354.0	14.0	354.0	14.0	354.0	14.0	354.0	14.0	354.0
1800	84	71.00	1814.0	71.00	1814.0	17.0	431.8	15.0	381.0	15.0	381.0	15.0	381.0	15.0	381.0	15.0	381.0	15.0	381.0	15.0	381.0	15.0	381.0
2000	94	79.00	2006.0	79.00	2006.0	18.0	457.2	16.0	406.4	16.0	406.4	16.0	406.4	16.0	406.4	16.0	406.4	16.0	406.4	16.0	406.4	16.0	406.4